Concerned about an eating disorder?

Over 10% of the population are affected by eating disorders — the 2nd deadliest mental illness. The good news is that recovery is possible with early detection and proper treatment. If the signs below sound familiar, we recommend an assessment by a medical provider.



Around food

- ☐ Avoiding eating with family or in groups
- ☐ Visiting the bathroom (including showering) immediately after meals
- ☐ Rigidity around ingredients, brands, food preparations, or utensils
- ☐ Long history of "picky" eating that has gotten worse over time



Medically

- ☐ Fainting, weakness, and dehydration
- ☐ Frequent stomach pain or other gastrointestinal complaints
- ☐ Injuries from exercise (e.g. stress fracture)
- ☐ Missing or irregular periods (for those menstruating)



Thinking

- ☐ Self-criticism for eating or not exercising
- Ongoing desire for reassurance about physical appearance
- ☐ Fears of choking, vomiting, pain, or getting ill after eating



Around activity

- ☐ Exercising intensely but without joy
- ☐ Driven exercise: exercising while sick or in bad weather conditions



Mood

- ☐ Not showing much emotion
- $\hfill \square$ Easily frustrated, moody
- ☐ Upset when routine changes, worried or fearful



Socially

- ☐ Spending less time with friends, peers, and family
- ☐ Inability to express/ describe emotions

